

Access Virus Configuration

PREPARE YOUR SYNTHESIZER FOR THE EDITOR


Connect the MIDI cables from your synthesizer to the MIDI interface and Audio Jacks to your console / sound card. MIDI out from synth to MIDI interface IN and vice versa. MIDI thru connections will not work.

- MIDI Out from MIDI interface to Virus MIDI In port.
- MIDI Out from Virus to MIDI interface MIDI In port.
 - double check your cables!
- Audio from Virus Out 1-2 to console or sound card inputs.
 - Add more audio cables from Virus output ports if needed.

Note for Virus TI Users: If you plan to use MIDI cables instead of USB connection, **DISCONNECT** the USB cable from your Virus or the Editor won't be able to establish the connection.

NOTE #2: When USB is plugged in, Virus TI MIDI terminals will act as a MIDI interface for your host computer.

Wiring diagram example





Power up your Virus. Our Editor is designed to work “out of the box” and control almost all parameters from a single Editor instance.

Note: Our Editor is designed to work only in multisingle / sequencer-mode. Single-mode is not supported and we are not going to change that. There is zero benefit of using the Virus in single mode.

Configure Virus A, B, C, Rack and Rack XL series

After Virus is powered up, enter Global settings, and apply following settings.

Note: Menu and Button examples from Access Virus C user manual.



1 - Choose MULTISINGLE-mode from Virus by clicking MULTI and SINGLE buttons at the same time

2 - Click "GLOBAL / MULTI EDIT" to enter settings menu



3 - Use **PARAMETER** buttons to navigate and **VALUE** buttons to set values

If parameter is not mentioned, you can skip it and navigate forward.

- MIDI DUMP RX = **Enable**.
- Panel = **Int+Midi**.
- SoftThru = **Off**.
- ProgChange = **Ena**.
- DeviceId = **1**. (VERY IMPORTANT).
- MIDI Control **LoPage** = **Contr**.
- MIDI Control **HiPage** = **SysEx**.
- System MemProtect = **Off**.

Configure Virus TI and Virus TI Snow series

After Virus is powered up, enter System settings, and apply following settings.

Note: Menu and Button examples from Access Virus TI user manual.



1 - Choose SEQ-mode from Virus by clicking MULTI and SINGLE buttons at the same time

2 - Click "CONFIG" to enter settings menu

Use **PARAMETER** buttons to find and **VALUE** buttons adjust following parameters

If parameter is not mentioned, you can skip it and navigate forward.

- Knob Behavior -> **Target = Internal+MIDI.**
- System 4 / 5 -> **Mem Protect = Disabled.**
- MIDI 1 / 3 -> **Soft Thru = Off.**
- MIDI 1 / 3 -> **MIDI Device ID = 1.** (VERY IMPORTANT).
- MIDI 3 / 3 -> **Program Change = Enabled.**
- Receive MIDI Dump -> **Receive Dump = Enable.**
- MIDI Control -> **Page A = Controller Data.**
- MIDI Control -> **Page B = SysEx.**

All set! We are now ready to open our Editor in DAW or Standalone Application!

To get more information about how to adjust your synth, read the Access Virus User Manual.

If you have any questions about the product, you can reach us online from our website at <https://auraplugins.com> – or Join our amazing [Discord](#) community!

We are open for new feature requests, roses and surely, we would love to know if we’ve done something wrong as well!

If you would like to contribute and help our development work, head to our Ko-fi page and support us there – That would be super helpful and keep the business alive.

<https://ko-fi.com/auraplugins>

Table of Contents

ACCESS VIRUS CONFIGURATION	- 1 -
Prepare your synthesizer for the editor	- 1 -
Wiring diagram example	- 1 -
Configure Virus A, B, C, Rack and Rack XL series	- 2 -
Configure Virus TI and Virus TI Snow series	- 3 -